



COMPOSICIÓN

Fijo + Corredera

MEDIDAS

Altura 195 cm.

Largo 100-200 cm.

Grosor cristal 6 mm.

ACABADO

Vidrio Transparente
Decorado

Aluminio Cromo

COMPLEMENTOS

Tratamiento antical incluido
Tirador latón cromado
Rodamiento extraíble

OPCIONES

Medidas personalizadas
Tirador doble
Tirador Lusan
Fijo lateral 70-80 cm.
Panel lateral 70-200 cm.

GARANTÍA

3 años

CERTIFICADOS

EN14428 - Mamparas de ducha
EN12150 - Vidrio templado



Vidrio decorado




Fijo lateral



Panel lateral



Rodamiento extraíble



Tirador intercambiable

NIZA 2 FRENTE DE DUCHA DOBLE



COMPOSICIÓN 2 Fijos + 2 Correderas

MEDIDAS

Altura 195 cm.

Largo 120-200 cm.

Grosor cristal 6 mm.

ACABADO

Vidrio Transparente
Decorado

Aluminio Cromo

COMPLEMENTOS

Tratamiento antical incluido
Tirador latón cromado
Rodamiento extraíble

OPCIONES

Medidas personalizadas
Tirador doble
Tirador Lusan

GARANTÍA

3 años

CERTIFICADOS


EN14428 - Mamparas de ducha
EN12150 - Vidrio templado



Vidrio decorado



Rodamiento extraíble



Tirador intercambiable

NIZA 2 MAMPARA DE DUCHA CURVA

BATH
GLASS



COMPOSICIÓN

Fijo + Corredera

MEDIDAS

Altura 195 cm.

Largo 80,90 cm.

Grosor cristal 6 mm.

ACABADO

Vidrio Transparente
Decorado

Aluminio Cromo

COMPLEMENTOS

Tratamiento antical incluido
Tirador latón cromado
Rodamiento extraíble

OPCIONES

Medidas personalizadas
Tirador doble
Tirador Lusan

GARANTÍA

3 años

CERTIFICADOS

EN14428 - Mamparas de ducha
EN12150 - Vidrio templado



Vidrio decorado



Rodamiento extraíble



Tirador intercambiable

VERIFICATION OF CONFORMITY

No. IN-GZ-CP-5627-25029

It has been stated that the construction product

SHOWER DOOR

Description of the product(s):

Product Model: NIZA

Intended use: **Personal hygiene under system 4**

placed on the market by

TORVISCO BATHROOMS DESIGN INTERNATIONAL LIMITED

UNIT 305-7,3/F.,LAFORD CENTRE,NO 838 LAI CHI KOK ROAD,KOWLOON,HONGKONG

and produced in the manufacturing plant

TORVISCO BATHROOMS DESIGN INTERNATIONAL LIMITED

UNIT 305-7,3/F.,LAFORD CENTRE,NO 838 LAI CHI KOK ROAD,KOWLOON,HONGKONG

is submitted by the manufacturer to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the third party- SGS-CSTC Standards Technical Services Co., Ltd. has performed the determination of the product type as required for Regulation 305/2011/EU and the assessment and verification of conformity at system 4.

This verification attests that type testing or type calculation described in Annex ZA of the standard

EN 14428:2004+A1:2008 was applied and that the relevant test report no. are

GZIN2501000048CM04_EN

This verification is customer voluntary act and refers to the tested samples only-type representative of the tested product.

The manufacturer is obligated to apply factory production control.

This verification is valid from **May. 13, 2025** until **May. 12, 2028** and remains valid as long as the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

The general principles set out in Article 30 of Regulation (EC) No 765/2008 shall apply to the CE marking.

The CE marking shall be affixed to those construction products for which the manufacturer has drawn up a declaration of performance.

Issue 1. Verified since May. 13, 2025

Authorised by



IN-GZ-CP-5627-25029

Verification:
check.sgsonline.com.cn



SGS-CSTC Standards Technical Services Co., Ltd.

16F Century Yuhui Mansion No.73, Fucheng Road, Haidian District Beijing, China 100142

email CN.CONSTProdcert@sgs.com website www.sgs.com

[Signature]
Bi/Li/Liang
Southern District Industrial Service Lab Manager