



COMPOSICIÓN

Fijo + Corredera

MEDIDAS

Altura 195 cm.

Largo 100-180 cm.

Grosor cristal 6 mm.

ACABADO

Vidrio Transparente
Decorado

Aluminio Cromo
Negro
Oro cepillado (solo en frente)
Oro rosa (solo en frente)
Blanco mate (solo en frente)

COMPLEMENTOS

Tratamiento antical incluido
Tirador latón
Guía inferior extraíble

OPCIONES

Medidas personalizadas
Tirador doble
Tirador Lusan
Pletina metálica de 3 mm.
Panel lateral fijo 70-80 cm.
Panel lateral fijo + corredera 70-180 cm.

GARANTÍA

3 años

CERTIFICADOS

EN14428 - Mamparas de ducha
EN12150 - Vidrio templado



Perfilería negra




Vidrio decorado



Panel lateral fijo




Panel lateral fijo + corredera




Perfiles en 5 acabados



Guía inferior metálica extraíble



Tirador original y Lusan opcional



Pletina metálica de 3 mm. opcional

TREBAN FRENTE DE DUCHA DOBLE

BATH
GLASS



COMPOSICIÓN 2 Fijos + 2 Correderas

MEDIDAS

Altura 195 cm.
Largo 140-200 cm.
Grosor cristal 6 mm.

ACABADO

Vidrio Transparente
Decorado
Aluminio Cromo
Negro
Oro cepillado
Oro rosa
Blanco mate

COMPLEMENTOS Tratamiento antical incluido
Tirador latón
Guía inferior extraíble

OPCIONES Medidas personalizadas
Tirador doble
Tirador Lusan
Pletina metálica de 3 mm.

GARANTÍA 3 años


CERTIFICADOS EN14428 - Mamparas de ducha
EN12150 - Vidrio templado



Perfilería negra




Vidrio decorado



Perfiles en 5 acabados



Guía inferior metálica extraíble



Tirador original y Lusan opcional



Pletina metálica de 3 mm. opcional

VERIFICATION OF CONFORMITY

No. IN-GZ-CP-5627-25027

It has been stated that the construction product

SHOWER DOOR

Description of the product(s):

Product Model: TREBAN

Intended use: **Personal hygiene under system 4**

placed on the market by

TORVISCO BATHROOMS DESIGN INTERNATIONAL LIMITED

UNIT 305-7,3/F.,LAFORD CENTRE,NO 838 LAI CHI KOK ROAD,KOWLOON,HONGKONG

and produced in the manufacturing plant

TORVISCO BATHROOMS DESIGN INTERNATIONAL LIMITED

UNIT 305-7,3/F.,LAFORD CENTRE,NO 838 LAI CHI KOK ROAD,KOWLOON,HONGKONG

is submitted by the manufacturer to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the third party- SGS-CSTC Standards Technical Services Co., Ltd. has performed the determination of the product type as required for Regulation 305/2011/EU and the assessment and verification of conformity at system 4.

This verification attests that type testing or type calculation described in Annex ZA of the standard

EN 14428:2004+A1:2008 was applied and that the relevant test report no. are

GZIN2501000048CM02_EN

This verification is customer voluntary act and refers to the tested samples only-type representative of the tested product.

The manufacturer is obligated to apply factory production control.

This verification is valid from **May. 13, 2025** until **May. 12, 2028** and remains valid as long as the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

The general principles set out in Article 30 of Regulation (EC) No 765/2008 shall apply to the CE marking.

The CE marking shall be affixed to those construction products for which the manufacturer has drawn up a declaration of performance.

Issue 1. Verified since May. 13, 2025

Authorised by



SGS-CSTC Standards Technical Services Co., Ltd.

16F Century Yuhui Mansion No.73, Fucheng Road, Haidian District Beijing, China 100142

email CN.CONSTProdcert@sgs.com Website www.sgs.com

Bill Liang

Southern District Industrial Service Lab Manager